

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4021	359/223,224,290- 295,298;345/85,108,109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 17:23
2	BRS	L2	3603	torsion\$5 near4 hinge\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 17:23
3	BRS	L3	430	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 17:24
4	BRS	L4	2	("2002/0067533").URPN.	USPAT	2006/08/ 25 17:42
5	BRS	L5	24	("20020067533" "4317611" "5191251" "5867297" "5867302" "5914801" "5920417" "5955817" "5960132" "5962949" "5994816" "6020272" "6023121" "6040935" "6087747" "6114794" "6134042" "6181460" "6186399" "6201629" "6256430" "6498870" "6542653").PN. OR ("6757093").URPN.	US-PGPUB; USPAT; USOCR	2006/08/ 25 17:43
6	BRS	L6	134	("4589726" "5333117" "5715337").PN. OR ("5960132").URPN.	US-PGPUB; USPAT; USOCR	2006/08/ 25 18:18
7	BRS	L8	1	Kastalsky-alexander-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 18:24
8	BRS	L9	51	Kastalsky-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/08/ 25 18:24
9	BRS	L10	0	("2005/0225827").URPN.	USPAT	2006/08/ 25 18:24
10	BRS	L7	3290	1 not 3	US-PGPUB; USPAT; USOCR	2006/08/ 25 18:28

10/822,830

	Document ID	1	Kind Codes	Source	Issue Date	Pages	Title
1	US 6847152 B2	X		US PAT	20050125	21	Microelectromechanical system for tilting a platform
2	US 6215222 B1	X		US PAT	20010410	28	Optical cross-connect switch using electrostatic surface actuators
3	US 6639572 B1	X		US PAT	20031028	21	Paper white direct view display
4	US 5867297 A	X		US PAT	19990202	16	Apparatus and method for optical scanning with an oscillatory microelectromechanical system
5	US 6532093 B2	X		US PAT	20030311	14	Integrated micro-opto-electro-mechanical laser scanner
6	US 6757093 B2	X		US PAT	20040629	17	MEMS reflectors having tail portions that extend inside a recess and head portions that extend outside the recess and methods of forming same
7	US 6788520 B1	X		US PAT	20040907	12	Capacitive sensing scheme for digital control state detection in optical switches
8	US 5960132 A	X		US PAT	19990928	18	Fiber-optic free-space micromachined matrix switches
9	US 6606428 B2	X		US PAT	20030812	13	Angular-precision enhancement in free-space micromachined optical switches

	Abstract	Current OR	Current XRef
1		310/309	359/224; 359/225; 385/18
2		310/309	
3		345/55	345/102; 345/108; 345/109; 359/227; 359/233; 359/234
4		359/198	235/462.32; 359/199; 359/200; 359/201; 359/202; 359/212; 359/213; 359/214; 359/223
5		359/198	359/201; 359/223; 359/224
6		359/291	359/280; 359/290; 385/17; 438/52
7		361/207	
8		385/18	
9		385/18	359/198; 359/223; 359/224; 385/17

	Document ID	1	Kind Codes	Source	Issue Date	Pages	Title
10	US 6556741 B1	X		US PAT	20030429	24	MEMS optical switch with torsional hinge and method of fabrication thereof
11	US 6396975 B1	X		US PAT	20020528	25	MEMS optical cross-connect switch

	Abstract	Current OR	Current XRef
10		385/18	359/874
11		385/18	385/16